#### Documentation of Environmental Indicator Determination RCRA Corrective Action

# **Environmental Indicator (EI) RCRIS code (CA750) Migration of Contaminated Groundwater Under Control**

Facility Name: Gold Mills, Inc.

Facility Address: 113 North Tulpehocken St., Pine Grove, PA 17963

Facility EPA ID #: PAD 00 237 7703

1.	Has all available relevant/significant information on known and reasonably suspected releases to the groundwater media, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units (SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been considered in this EI determination?			
	_YE	If yes - check here and continue with #2 below.		
		If no - re-evaluate existing data, or		
		if data are not available, skip to #8 and enter"IN" (more information needed) status code.		

#### **BACKGROUND**

#### **Definition of Environmental Indicators (for the RCRA Corrective Action)**

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

#### **Definition of "Migration of Contaminated Groundwater Under Control" EI**

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater is under control, and that monitoring will be conducted to confirm that contaminated groundwater remains within the "existing area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

### **Relationship of EI to Final Remedies**

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to stabilizing the further spread of contaminated ground water and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

#### **Duration / Applicability of EI Determinations**

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

2.	Is groundwater known or reasonably suspected to be "contaminated" above appropriately protective
	"levels" (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines,
	guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility?

YE_	If yes - continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.
	If no - skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not "contaminated."
	If unknown - skip to #8 and enter "IN" status code.

#### **Rationale and Reference(s):** a) bi-Mo

- a) bi-Monthly Progress Reports;
- b) RCRA Facility Investigation Report, dated March 3, 1995;

III toxicologist Betty Ann Quinn on March 20,2000; and,

- c) Screening evaluation of indoor air risks, performed by EPA Region
- d) Report of private water supply well sampling, January 18, 1999.

The facility groundwater contaminated with volatile organic compounds tetrachloroethylene (PCE) and trichloroethylene (TCE), as well as some oil, grease and sodium. The facility is pumping and treated groundwater on site with granular activated carbon filter from 1988. Currently it pumps groundwater from three production wells at an average rate of 200,000 gallons per day. The PCE levels in May of 2001 were 110 to less than 5 ppb, down from 1100 ppb in 1992. During second voluntarily soil clean-up - stabilization in April of 1998 a total of 901.59 tons of contaminated soil was excavated and disposed of on an approved PADEP landfill. During first, 1988, soil clean-up 63,000 tons of contaminated soil were removed. Few of eight private water supply wells located in the vicinity of the facility were sampled in 1992-93 and in December, 1998. EPA has no evidence that the groundwater contamination has moved off-site into private wells. The indoor air concentrations of volatile organic compounds tetrachloroethylene (PCE) and trichloroethylene (TCE) according to references b) and c) are within EPA's target risk range. The RCRA Facility Investigation (RFI) for the facility is finalized. A Corrective Measure Study (CMS) is a next step. Two steps of final remedy will take place. First step is soil vapor extraction - in-situ remediation technology most appropriate for the site. Second step is a monitored natural attenuation.

#### Footnotes:

1"Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

To the minute of a continuous design and the continuous design and the

3.	to remain within "existing area of contaminated groundwater" 2 as defined by the monitoring locations designated at the time of this determination)?			
	YEIf yes - continue, after presenting or referencing the physical evidence (e.g., groundwa sampling/measurement/migration barrier data) and rationale why contaminated ground expected to remain within the (horizontal or vertical) dimensions of the "existing area o groundwater contamination"2).			
			oundwater is observed or expected to migrate beyond the designated "existing area of groundwater contamination"2) - skip to #8 and enter "NO iding an explanation.	
		If unknown - skip to #8	3 and enter "IN" status code.	
	Rationa	ale and Reference(s):	<ul> <li>a) bi-Monthly Progress Reports;</li> <li>b) RCRA Facility Investigation Report, dated March 3, 1995;</li> <li>c) Screening evaluation of indoor air risks, performed by EPA Region</li> <li>III toxicologist Betty Ann Quinn on March 20, 2000; and</li> </ul>	

The facility groundwater contaminated with volatile organic compounds tetrachloroethylene (PCE) and trichloroethylene (TCE), as well as some oil, grease and sodium. The facility is pumping and treated groundwater on site with granular activated carbon filter since 1988. Currently it pumps groundwater from three production wells at an average rate of 200,000 gallons per day. The PCE levels in May of 2001 were 110 to less than 5 ppb, down from 1100 ppb in 1992. During second voluntarily soil clean-up - stabilization in April of 1998 a total of 901.59 tons of contaminated soil was excavated and disposed of on an approved PADEP landfill. During first, 1988, soil clean-up 63,000 tons of contaminated soil were removed. Few of eight private water supply wells located in the vicinity of the facility were sampled in 1992-93 and in December, 1998. EPA has no evidence that the groundwater contamination has moved off-site into private wells. The indoor air concentrations of volatile organic compounds tetrachloroethylene (PCE) and trichloroethylene (TCE) according to references b) and c) are within EPA's target risk range.

The RCRA Facility Investigation (RFI) for the facility is finalized. A Corrective Measure Study (CMS) is a next step. Two steps of final remedy will take place. First step is soil vapor extraction - in-situ remediation technology most appropriate for the site. Second step is a monitored natural attenuation.

d) Report of private water supply well sampling, January 18, 1999.

2 "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

1.	Does "contaminated" groundwater discharge into surface water bodies?	
	If yes - continue after io	dentifying potentially affected surface water bodies.
	-	nter a "YE" status code in #8, if #7 = yes) after providing an eing documentation supporting that groundwater "contamination" does bodies.
	If unknown - skip to #8	and enter "IN" status code.
	Rationale and Reference(s):	<ul> <li>a) bi-Monthly Progress Reports;</li> <li>b) RCRA Facility Investigation Report, dated March 3, 1995;</li> <li>c) Screening evaluation of indoor air risks, performed by EPA Region III toxicologist Betty Ann Quinn on March 20,2000; and,</li> <li>d) Report of private water supply well sampling, January 18, 1999.</li> </ul>

5.	Is the discharge of "contaminated" groundwater into surface water likely to be "insignificant" (i.e., the maximum concentration3 of each contaminant discharging into surface water is less than 10 times their appropriate groundwater "level," and there are no other conditions (e.g., the nature, and number, of discharging contaminants, or environmental setting), which significantly increase the potential for unacceptable impacts to surface water, sediments, or eco-systems at these concentrations)?			
	maximum known or reas- their groundwater "level, concentrations are increa (or reference documenta	nter "YE" status code in #8 if #7 = yes), after documenting: 1) the onably suspected concentration3 of key contaminants discharged above," the value of the appropriate "level(s)," and if there is evidence that the asing; and 2) provide a statement of professional judgement/explanation tion) supporting that the discharge of groundwater contaminants into the ected to have unacceptable impacts to the receiving surface water, i.		
	If no - (the discharge of "contaminated" groundwater into surface water is potentially significant continue after documenting: 1) the maximum known or reasonably suspected concentration3 of each contaminant discharged above its groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations3 greater than 100 times their appropriate groundwater "levels," the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.			
	If unknown - enter "IN" status code in #8.			
	Rationale and Reference(s):	<ul> <li>a) bi-Monthly Progress Reports;</li> <li>b) RCRA Facility Investigation Report, dated March 3, 1995;</li> <li>c) Screening evaluation of indoor air risks, performed by EPA Region III toxicologist Betty Ann Quinn on March 20,2000; and,</li> </ul>		

3 As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

d) Report of private water supply well sampling, January 18, 1999.

can the discharge of "contaminated" groundwater into surface water be shown to be "currently acceptable" (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented4)?			
cond sedin crite 2) p discl spec eco Facto flow samp as we surve	itions, or other site- ments, and eco-syst ria are not exceeded roviding or reference narge of groundwate italists, including eco systems, until such ors which should be use/classification/ ole results and compell as any other fact eys or site-specific	ther: 1) identifying the Final Remedy decision incorporating these specific criteria (developed for the protection of the site's surface water, tems), and referencing supporting documentation demonstrating that these d by the discharging groundwater; OR cing an interim-assessment5 with documentation demonstrating that the er contaminants into the surface water is (in the opinion of a trained cologist) adequately protective of receiving surface water, sediments, and time when a full assessment and final remedy decision can be made. It is considered in the interim-assessment include: surface water body size, thabitats and contaminant loading limits, surface water and sediment coarisons to available and appropriate surface water and sediment "levels," stors, such as effects on ecological receptors (e.g., via bio-assays/benthic ecological Risk Assessments), that the overseeing regulatory agency for making the EI determination.	
acce	_NO If no - (the discharge of "contaminated" groundwater can not be shown to be "currently acceptable") - skip to #8 and enter "NO" status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.		
If unknown - skip to 8 and enter "IN" status code.			
Rationale and	l Reference(s):	<ul> <li>a) bi-Monthly Progress Reports;</li> <li>b) RCRA Facility Investigation Report, dated March 3, 1995;</li> <li>c) Screening evaluation of indoor air risks, performed by EPA Region III toxicologist Betty Ann Quinn on March 20,2000; and,</li> <li>d) Report of private water supply well sampling, January 18, 1999.</li> </ul>	
4 Note becau	ise areas of inflowi	ng groundwater can be critical habitats (e.g. nurseries or thermal refugia)	

- 4 Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.
- 5 The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

7.	Will groundwater monitoring / measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the "existing area of contaminated groundwater?"			
	_YE	If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination."		
		If no - enter "NO" status code in #8.		
		If unknown - enter "IN" status code in #8.		

**Rationale and Reference(s):** Progress Reports of all production wells and Reports of private water supply well sampling. All production wells are monitored bi -monthly, private water supply wells are quarterly monitored, the results are submitted to the EPA and PADEP.

8. Check the appropriate RCRIS status codes for the Migration of Contaminated Groundwater Under Control EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility). Specifically, this determination indicates that the migration of "contaminated" groundwater is under control, and that monitoring will be conducted to confirm that contaminated groundwater remains within the "existing area of contaminated groundwater" This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility.

YE -	Yes, "Migration of Contaminated Groundwater Under Control" has been verified. Based on a review of the information contained in this EI determination, it has been determined that the "Migration of Contaminated Groundwater" is "Under Control" at the Gold Mills, Inc. facility, EPA ID # PAD 00 237 7703, located at 113 North Tulpehocken St., Pine Grove, PA 17963.
	NO - Unacceptable migration of contaminated groundwater is observed or expected.
	IN - More information is needed to make a determination.

### Locations where References may be found:

1650 Arch Street, 3WC22 RCRA Facility Investigation Report , March 1995 EPA files.

#### Contact telephone and e-mail numbers:

(name) Ioff, Victoria
(phone #) 215-814-3415
(e-mail) ioff.vickie@epa.gov

Completed by (signature) Date <u>01-02-02</u>

(print) Ioff, Victoria

(title) Remedial Project Manager

Supervisor (signature) Date <u>01-02-02</u>

(print) Gotthold, Paul

(title) PA Operations Branch Chief (EPA Region or State) EPA, Region 3